

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	60	(voltage adj down adj converter) and (operational adj amplifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 11:24
L2	26	(voltage adj down adj converter) same (operational adj amplifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 11:24
S1	45	KUSHIYAMA-NATSUKI KUSHIYAMA-NATSUKI-C-O-INTELL EC	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 22:49
S2	129466	(reference or source) same (potential or voltage) same (conversion or convert\$4 or step\$4 or modif\$5 or adjust\$4) same (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 22:56
S4	3	S3 and S1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:01
S5	1	"20020016932"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:01
S6	0	S5 and (storage adj circuit) and (control adj circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:02
S7	1	S5 and (stor\$4) and (control\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:07
S8	2350	S3 and fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:07
S9	383	S3 and (laser with fuse)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:21
S10	24	S9 and (control adj bus)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:05

S11	162	(reference or source) adj (potential or voltage) adj (conversion or convert\$4 or step\$4 or modif\$5 or adjust\$4) adj (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:02
S12	17	S11 and fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:07
S13	10	S12 and (stor\$4) and (control\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:08
S14	9	S12 and ((stor\$4) with (circuit or module or core or block or chip or IC or IP)) and ((control\$5) with (circuit or module or core or block or chip or IC or IP))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 17:56
S15	2	S12 and ((stor\$4) adj (circuit or module or core or block or chip or IC or IP)) and ((control\$5) adj (circuit or module or core or block or chip or IC or IP))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:09
S16	9	S14 and fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:21
S17	4	S14 and (laser with fuse)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 23:22
S18	7	(reference or source) adj (potential or voltage) adj (offset) adj (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 16:18
S19	1833	365/189.09.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 17:57
S20	449	326/80.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 17:58
S21	820	323/313.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:00

S22	1120	S19 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:00
S23	129466	(reference or source) same (potential or voltage) same (conversion or convert\$4 or step\$4 or modif\$5 or adjust\$4) same (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:01
S24	362	S22 and S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:01
S25	44174	(reference or source) with (potential or voltage) with (conversion or convert\$4 or step\$4 or modif\$5 or adjust\$4) with (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:02
S26	207	S25 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:02
S27	162	(reference or source) adj (potential or voltage) adj (conversion or convert\$4 or step\$4 or modif\$5 or adjust\$4) adj (circuit or module or core or block or chip or IC or IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:02
S28	2	S27 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 18:02
S29	1	"20020016932"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 20:30
S30	1	S29 and control	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/13 20:31
S31	0	"5367487".pn. and "a desired internal source voltage"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:10
S32	0	"5367487".pn. and (desired adj internal adj source adj voltage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:11

S33	0	"5367487".pn. and vint	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:10
S34	1	"5367487".pn. and (internal adj source adj voltage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:19
S35	1	"20020016932" and (control)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:22
S36	1	"20020016932" and vref\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:22
S37	1	"20020016932" and vrefint\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 19:25
S38	1	"20020016932" and vrefint\$3 same selector	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:07
S39	473	voltage adj down adj converter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:14
S40	136	S39 and fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:08
S41	21	S39 same fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:08
S42	3	S39 same register	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:08
S43	0	S41 and S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:08
S44	73	(voltage adj down adj converter). ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 11:23

S45	7	S44 and fuse	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:25
S46	7	S44 and fuse and (voltage adj down adj converter)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:32
S47	3	"07/991,533"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/23 21:32
S48	1	"6147479".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/24 09:35